

## 1. IDENTIFICATION

**Product Identifier**

**Product Name** Slide Bulk DFL

**Other means of identification**

**SDS #** 411BULK

**Product Code** 411HBULK (SDS applies to pint, 1G, 5G, and 55G sizes)  
**UN/ID No** UN1219

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Industrial mold release.

**Details of the supplier of the safety data sheet**

**Supplier Address**

Slide Products Inc.  
 430 S. Wheeling Road  
 Wheeling, IL 60090

**Emergency Telephone Number**

**Company Phone Number** Phone: 1-847-541-7220  
 Fax: 1-847-541-7986  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Pale, tan liquid

**Physical State** Liquid

**Classification**

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

**Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

**Signal Word**

Danger

**Hazard Statements**

Causes serious eye irritation  
 May cause drowsiness or dizziness  
 Highly flammable liquid and vapor



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Use only outdoors or in a well-ventilated area  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a poison center or doctor/physician if you feel unwell  
 IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Unknown Acute Toxicity**

6% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	90-99
PTFE Solid	68604-99-9	3-10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects**

<b>Symptoms</b>	May be harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Highly flammable liquid and vapor.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Remove leaking container to outside disposal site.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

**Incompatible Materials** None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Mechanical (general) recommended.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Proper eye care is needed in all industrial operations.

**Skin and Body Protection** Not needed.

**Respiratory Protection** Not needed with adequate ventilation.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Not determined
<b>Appearance</b>	Pale, tan liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Pale tan		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	Not determined		
<b>Melting Point/Freezing Point</b>	<-67.8 °C / <-90 °F		
<b>Boiling Point/Boiling Range</b>	39.4-40.6 °C / 103-105 °F		
<b>Flash Point</b>	11.7 °C / 53 °F		
<b>Evaporation Rate</b>	>1.7	Minutes	
<b>Flammability (Solid, Gas)</b>	Liquid-Not applicable		
<b>Upper Flammability Limits</b>	10.0%		
<b>Lower Flammability Limit</b>	1.0%		
<b>Vapor Pressure</b>	350 mm Hg		
<b>Vapor Density</b>	>1	(Air=1)	
<b>Specific Gravity</b>	0.791	(Water = 1)	
<b>Water Solubility</b>	Nil		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Auto-ignition Temperature</b>	Not determined		
<b>Decomposition Temperature</b>	Not determined		
<b>Kinematic Viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		
<b>VOC Content</b>	96%		

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to Avoid**

Open flames and hot glowing objects.

**Incompatible Materials**

None known based on information supplied.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information****Eye Contact** Causes serious eye irritation.**Skin Contact** Avoid contact with skin.**Inhalation** Do not inhale.**Ingestion** May be harmful if swallowed.**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

**Information on physical, chemical and toxicological effects****Symptoms** Please see section 4 of this SDS for symptoms.**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity** Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X

**Legend***IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***STOT - single exposure** May cause drowsiness or dizziness.**Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity** 6% of the mixture consists of ingredient(s) of unknown toxicity.**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION**

**Note**

When shipped in containers of .3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulation 49 CFR 173.150/ IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

**DOT**

**UN/ID No** UN1219  
**Proper Shipping Name** Isopropyl alcohol solutions  
**Hazard Class** 3  
**Packing Group** II

**IATA**

**UN/ID No** UN1219  
**Proper Shipping Name** Isopropyl alcohol solution  
**Hazard Class** 3  
**Packing Group** II

**IMDG**

**UN/ID No** UN1219  
**Proper Shipping Name** Isopropyl alcohol solution  
**Hazard Class** 3  
**Packing Group** II

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	X		Present		Present	X	Present	X	X
PTFE Solid	Present	X		Present				Present		X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	90-66	1.0

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> 2	<b>Flammability</b> 3	<b>Physical Hazards</b> 0	<b>Personal Protection</b> G

Issue Date: 01-Sep-2012  
 Revision Date: 25-Apr-2017  
 Revision Note: Updated information

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**