

Safety Data Sheet

Version 3 Issue Date: 01-Sep-2012 Revision Date: 20-Dec-2017

1. IDENTIFICATION

Product Identifier

Product Name Slide Mold Cleaner Plus Degreaser 4

Other means of identification

SDS# 46910

Product Code 46910

Synonyms Mixture, heptane Mold Cleaner.

UN1950

UN/ID No Other Information Formula: 60224.

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold cleaner.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc.

430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol

Physical State Aerosol

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful in contact with skin

Signal Word Danger

Hazard Statements

Causes skin irritation Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Revision Date: 20-Dec-2017



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Mixture, heptane
Mold Cleaner.

Chemical Family Aliphatic hydrocarbon.

Chemical Name	CAS No	Weight-%
Propane	68476-86-8	10-20
Isopropyl alcohol	67-63-0	30-40
Heptane	142-82-5	30-40

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin Contact Wash off immediately with soap and plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical

Revision Date: 20-Dec-2017

advice/ attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen.

Ingestion Do not induce vomiting. Call a physician immediately. Drink plenty of water or milk

immediately.

Most important symptoms and effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Skin contact can lead to drying, defatting, itching, stinging and irritation. MAY CAUSE ALLERGIC SKIN REACTION. Exposed individuals may experience eye tearing,

redness and discomfort.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Extremely flammable. Aerosol flame projection test: >18" extension at 70 F. Aerosols may rupture violently at temperatures above 120 F. Vapors may form explosive mixtures with air.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and material for containment and cleaning up

Methods for Containment Remove leaking container to outside disposal site.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame. Pressurized container: Do not pierce or burn,

Revision Date: 20-Dec-2017

even after use. Do not drop. Remove all sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from direct sunlight. Do not store at temperatures above 120 °F. Keep away from

heat.

Incompatible Materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(vacated) STEL: 2000 mg/m ³	_
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses should always be worn in an industrial operation.

Skin and Body Protection Protective gloves are not required, but recommended.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear liquid in an aerosolOdorNot determinedColorClearOdor ThresholdNot determined

@ 20 C

Revision Date: 20-Dec-2017

Property Values Remarks • Method

pH Not determined
Melting Point/Freezing Point Not determined
Boiling Point/Boiling Range 70.6 °C / 159 °F
Flash Point Not determined
Evaporation Rate Faster than ether
Flammability (Solid, Gas) Not determined

Upper Flammability Limits 7.5 Lower Flammability Limit 1.2

Vapor Pressure 137 mmHg

Vapor Density Heavier than air

Specific Gravity 0.6587

Water Solubility Insoluble in water Solubility in other solvents Not determined Not determined **Partition Coefficient Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **VOC Content (%)** 100%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Do not puncture or incinerate cans. Avoid temperatures above 120 °F.

Incompatible Materials

None known.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane	-	= 3000 mg/kg (Rabbit)	= 103 g/m³ (Rat) 4 h
142-82-5			
Isopropyl alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h
67-63-0		mg/kg (Rabbit)	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when

manufactured by the strong-acid process. Group 3 IARC components are "not classifiable

Revision Date: 20-Dec-2017

as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X
67-63-0		-		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Contains no ozone depleting chemicals.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Heptane		375.0: 96 h Cichlid fish mg/L		10: 24 h Daphnia magna
142-82-5		LC50		mg/L EC50
Isopropyl alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
	1000: 72 h Desmodesmus	through 11130: 96 h		_
	subspicatus mg/L EC50	Pimephales promelas mg/L		
		LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Propane 68476-86-8	<=2.8
Heptane	4.66
142-82-5	
Isopropyl alcohol	0.05
67-63-0	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers

should be taken to an approved waste handling site for recycling or disposal. Dispose of in

Revision Date: 20-Dec-2017

accordance with federal, state and local regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status		
Heptane	Toxic		
142-82-5	Ignitable		
Isopropyl alcohol	Toxic		
67-63-0	Ignitable		

14. TRANSPORT INFORMATION

Note

Based on package size, product may be eligible for limited quantity exception.

DOT (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

<u>IMDG</u>

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemic	cal Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Pro	pane	Present	Χ		Present			Χ	Present	Χ	Χ
Isoprop	yl alcohol	Present	Х		Present		Present	Χ	Present	Х	Х

Hepta	ne Presen	X	Present	Present	Х	Present	Х	Х

Revision Date: 20-Dec-2017

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	33	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Heptane 142-82-5	X	X	Х
Isopropyl alcohol 67-63-0	X	X	Х

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection
B

 Issue Date:
 01-Sep-2012

 Revision Date:
 20-Dec-2017

Revision Note: Updated transportation information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

46910 - Slide Mold Cleaner Plus Degreaser 4	Revision Date: 20-Dec-2017