



There's nothing more valuable than knowledge.

January 2019

Visit our website

GLOBAL THINSWITCH

prevent accidental mold close in injection molds by verifying ejector plate return in injection molds with 3mm, 4mm or 3/16" rest buttons, and where occasional water or oil spray is present.



Visit Thinswitch Online

Protect Your Valuable Injection Molds from Catastrophic Crashes

**January OFFER - Save 10%
Limit Switches**



Thinswitch

T-222 and HT-291
Original Ejector Plate Return Switch
Use with 3/16" Rest Buttons
Standard and High Temp



Liquid Resistant Thinswitch

T-222-LR and HT-291-LR
Liquid-Resistant Ejector
Plate Return Switch
Use with 3/16" Rest Buttons
in Wet Locations
Tested to 10 million cycles



Versaswitch Limit Switch

V-222
Versatile Core Pull Switch
Adjustable Actuation Height
Sealed for Use in Wet Locations



Smartlock Slide Retainer

SL-222
Slide Retainer and Limit Switch
Provides Slide Position Verification
Adjustable Break Away Force of 17 to
27 pounds



Global Thinswitch

TW-222-LR Global Thinswitch
Use with 3mm or 4mm Rest Buttons
Special Mounting Bracket Allows Quick Switch Replacement
without Tools
Liquid-Resistant Housing

Visit our website for more information, or email sales@acetrionic.com

PROMO CODE : JAN2019PROMO

Purchase Thinswitch and get 10% OFF

Valid through Jan 31, 2019

Claim Now

Visit our website for more information, or email sales@acetronic.com

PROMO CODE : JAN2019PROMO

INTRODUCING



*Join us in 2019 for our first Ace**CONNEX***

*Ace**CONNEX** will bring together key players in the plastics industry for a day filled with relevant product demonstrations, presentations on new and innovative solutions to old problems...*

You won't want to miss this one!

May 9th - 2019

DoubleTree by Hilton Hotel Toronto Airport West

Register for AceConnex

Life is about choices...
Thank you for choosing AceTronic!

For complete info on all of the AceTronic products and partners, click on the link for the newly revamped website: [AceTronic website](#)