



# Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 19-April-2017

Version 3

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Slide Quick Paintable MR

### Other means of identification

**SDS #** 44712E

**Product Code** 44712E

**Synonyms** Methyl butyl, methyl isopropyl, benzyl solution  
Slide Quick Paintable.

**UN/ID No** UN1950

### Recommended use of the chemical and restrictions on use

**Recommended Use** Industrial mold release.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Slide Products Inc.  
430 S. Wheeling Road  
Wheeling, IL 60090

### Emergency Telephone Number

**Company Phone Number** Phone: 1-847-541-7220

Fax: 1-847-541-7986

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear, oily, colorless liquid

**Physical State** Aerosol

**Odor** Slight

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable Aerosols	Category 2

### Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

### Signal Word

**Danger**

### Hazard Statements

Causes skin irritation  
Causes serious eye irritation  
May damage fertility or the unborn child  
May cause respiratory irritation. May cause drowsiness or dizziness  
May cause damage to organs through prolonged or repeated exposure  
Flammable Aerosol



### **Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use

### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash it before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

### **Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **Other Hazards**

Harmful to aquatic life with long lasting effects

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Synonyms** Methyl butyl, methyl isopropyl, benzyl solution  
 Slide Quick Paintable.

**Chemical Family** Silicone.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	65-75
n-Propyl bromide	106-94-5	25-35
Paintable Silicone Fluid	68037-77-4	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## **4. FIRST-AID MEASURES**

### **First Aid Measures**

**General Advice** If exposed or concerned: Get medical advice/attention.

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician if you feel unwell. If skin irritation occurs: Get medical advice/ attention.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Ingestion</b>	Drink plenty of water. Do not induce vomiting. Get medical attention if necessary.

**Most important symptoms and effects**

<b>Symptoms</b>	Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO<sub>2</sub>). Foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable by aerosol Standards. Aerosols may rupture violently at temperatures above 120 F. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air.

**Hazardous Combustion Products** Carbon oxides. Hydrogen bromide.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Remove leaking container to outside disposal site. Remove all sources of ignition.
<b>Methods for Clean-Up</b>	Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from direct sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### **Incompatible Materials**

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Propyl bromide 106-94-5	TWA: 10 ppm	-	-

### Appropriate engineering controls

#### **Engineering Controls**

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

#### **Eye/Face Protection**

Proper eye care is needed in all industrial operations.

#### **Skin and Body Protection**

Protective gloves are not required, but recommended. Do not use natural rubber gloves.

#### **Respiratory Protection**

High vapor or mist concentrations may require a NIOSH approved organic vapor respirator.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Aerosol	<b>Odor</b>	Slight
<b>Appearance</b>	Clear, oily, colorless liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear Colorless		

#### Property

**pH**

#### Values

Not determined

#### Remarks • Method

**Melting Point/Freezing Point**

< -45.6 °C / <-50 °F

**Boiling Point/Boiling Range**

Not available

**Flash Point**

non-flammable per aerosol projection test

**Evaporation Rate**

Not available

**Flammability (Solid, Gas)**

Not determined

**Upper Flammability Limits**

Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Lower Flammability Limit	Not applicable	
Vapor Pressure	139 mmHg	@ 20 C
Vapor Density	Not available	
Specific Gravity	0.78	
Water Solubility	Insoluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content (%)	97%	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

High heat or open flames.

### Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

### Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Hydrogen bromide.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye irritation.
<b>Skin Contact</b>	May be harmful in contact with skin. Causes skin irritation.
<b>Inhalation</b>	Do not inhale.
<b>Ingestion</b>	Do not ingest.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
n-Propyl bromide 106-94-5	= 3600 mg/kg ( Rat )	-	= 253 g/m <sup>3</sup> ( Rat ) 30 min

**Information on physical, chemical and toxicological effects****Symptoms**

Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Reproductive toxicity**

May damage fertility or the unborn child.

**STOT - single exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects. Contains no ozone depleting chemicals.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
n-Propyl bromide 106-94-5		67.3: 96 h Pimephales promelas mg/L LC50 flow-through		

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Dimethyl ether 115-10-6	-0.18
n-Propyl bromide 106-94-5	2.1

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

**Note**

Based on package size, product may be eligible for limited quantity exception. **Based on package size, product may be eligible for limited quantity exception.**

**DOT**

(each not exceeding 1 L capacity)  
**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.1

**IATA**

**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols, flammable  
**Hazard Class** 2.1

**IMDG**

**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.1  
**Marine Pollutant** This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	X		Present		Present	X	Present	X	X
n-Propyl bromide	Present	X		Present		Present	X	Present	X	X
Silicone Fluid	Present	X				Present	X	Present	X	X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
n-Propyl bromide - 106-94-5	Developmental Female Reproductive Male Reproductive

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	X	X	X
n-Propyl bromide 106-94-5	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

1

**Flammability**

2

**Physical Hazards**

0

**Personal Protection**

B

**Issue Date:**

01-Sep-2012

**Revision Date:**

19-April-2017

**Revision Note:**

Correction in section 14

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**